

Selection of publications based on stable isotope measurements performed in the GEOMAR Stable Isotope Lab

- Bahr, A., Doubrava, M., Titschack, J., Austermann, G., **Nürnberg**, D., Albuquerque, A. L., Friedrich, O. and Raddatz, J. (2020) Monsoonal forcing controlled cold water coral growth off south-eastern Brazil during the past 160 kyr. *Biogeosciences Discussions*. DOI 10.5194/bg-2020-206.
- Bahr, A., **Nürnberg**, D., Karas, C. and Grützner, J. (2013) Millennial-scale versus long-term dynamics in the surface and subsurface of the western North Atlantic Subtropical Gyre during Marine Isotope Stage 5 Global and Planetary Change, 111 . pp. 77-87. DOI 10.1016/j.gloplacha.2013.08.013.
- Bahr, A., **Nürnberg**, D., Schönfeld, J. and Garbe-Schönberg, D. (2011) Hydrological variability in Florida Straits during Marine Isotope Stage 5 cold events *Paleoceanography*, 26 (2). PA2214. DOI 10.1029/2010PA002015.
- Barash, M. S., Matul, A. G., Kazarina, G. K., Khusid, T. A., Abelmann, A., Biebow, N., **Nürnberg**, D. and Tiedemann, R. (2006) Paleoceanography of the Central Sea of Okhotsk during the Middle Pleistocene (350-190 ka) as inferred from micropaleontological data *Oceanology*, 46 (4). pp. 501
- Bertlich, J., **Nürnberg**, D., Hathorne, E. C., de Nooijer, L. J., Mezger, E. M., Kienast, M., Nordhausen, S., Reichart, G. J., Schönfeld, J. and Bijma, J. (2018) Salinity control on Na incorporation into calcite tests of the planktonic foraminifera *Trilobatus sacculifer* – Evidence from culture experiments and surface sediments. *Biogeosciences (BG)*, 15 (20). pp. 5991-6018. DOI [10.5194/bg-15-5991-2018](#).
- Bickert, T., Haug, G. and Tiedemann, R. (2004) Late Neogene benthic stable isotope record of ODP Site 999: Implications for Caribbean paleoceanography, organic burial and the Messinian Salinity Crisis *Paleoceanography*, 19 (1). PA1023. DOI 10.1029/2002PA000799.
- Chen, F., Su, X., **Nürnberg**, D., Lu, H. f., Zhu, Y. h., Liu, J. and Liao Zhi-liang, (2006) Lithologic features of sediments characterized by high sedimentation rates since the Last Glacial Maximum from Dongsha area of the South China Sea *Marine Geology and Quaternary Geology*, 26 (6). pp. 9-18.
- Derkachev, A.N., Nikoleva, N., Gorbarenko, S.A., Portnyagin, M., Ponomareva, O., **Nürnberg**, D., Sakamoto, T., Iijima, K., Liu, Y., Shi, X., Lv, H., Wang, K. (2016) Tephra layers in the quaternary deposits of the Sea of Okhotsk: Distribution, composition, age, and volcanic resources. *Quaternary International*, dx.doi.org/10.1016/j.quaint.2016.07.004.
- Fischel, A., Seidenkrantz, M.-S., **Nürnberg**, D., Kucera, M., Kuipers, A. (2017) Upper water mass variability in the Anegada-Jungfern Passage, NE Caribbean, during the last 11.100 cal.yr. *The Holocene* I-17, doi:10.1177/0959683616687378.
- Franz, S. O. and Tiedemann, R. (2002) Depositional changes along the Blake-Bahama Outer Ridge deep water transect during marine isotope stages 8 bis 10 - links to Deep Western Boundary Current *Marine Geology* (189). pp. 107-122.
- Gebregiorgis, D., Hathorne, E.C., Giosan, L., Clemens, S., **Nürnberg**, D., Frank, M. (2018) Southern Hemisphere forcing of South Asian monsoon precipitation over the past 1 million years. *Nature Communications* DOI:10.1038/s41467-018-07076-2
- Gebregiorgis, D., Hathorne, E., Sijinkumar, A.V., Nath, B.J., **Nürnberg**, D., Frank, M. (2016) South Asian Summer Monsoon variability during the last ~54kyrs inferred from surface water salinity and river run off proxies. *Quaternary Science Reviews* 138, 6-15. <http://dx.doi.org/10.1016/j.quascirev.2016.02.012>.
- Grützner, J., Giosan, L., Franz, S. O., Tiedemann, R., Cortijo, E., Chaisson, W. P., Flood, R. D., Hagen, S., Keigwin, L. D., Poli, S., Rio, D. and Williams, T. (2002) Astronomical age models for Pleistocene drift sediments from the western North Atlantic (ODP Sites 1055 to 1063) *Marine Geology*, 189 . pp. 5-23.
- Gorbarenko, S. A., Psheneva, O. Y., Artemova, A. V., Matul', A. G., Tiedemann, R. and **Nürnberg**, D. (2010) Paleoenvironment changes in the NW Okhotsk Sea for the last 18 kyr determined with micropaleontological, geochemical, and lithological data *Deep-Sea Research Part I-Oceanographic Research Papers*, 157 . pp. 797-811. DOI 10.1016/j.dsri.2010.04.004.
- Gorbarenko, S., Leskov, V. Y., Artemova, A. V., Tiedemann, R., Biebow, N. and **Nürnberg**, D. (2003) Ice Cover of the Sea of Okhotsk during the Last Glaciation and Holocene [in kyrill. Schr.] *Doklady of Academy of Science*, 388 (5). pp. 678-682.
- Gorbarenko, S., Leskov, V. Y., Artemova, A. V., Tiedemann, R., Biebow, N. and **Nürnberg**, D. (2003) Ice Cover of the Sea of Okhotsk during the Last Glaciation and Holocene [in kyrill. Schr.] *Doklady of Academy of Science*, 388 (5). pp. 678-682.
- Gorbarenko, S., **Nürnberg**, D., Derkachev, A. N., Astakhov, A. S., Sounthor J.R., and Kaiser, A. (2002) Magnetostratigraphy and tephrachronology of the upper Quaternary sediments in the Okhotsk Sea: Implication of terrigenous, volcanogenic and biogenic matter supply *Marine Geology* (183). pp. 107-129.

- Greaves, M., Caillon, N., Rebaubier, H., Bartoli, G., Bohaty, S., Cacho, I., Clarke, L., Cooper, M., Daunt, C., Delaney, M., deMenocal, P., Dutton, A., Eggins, S., Elderfield, H., Garbe-Schönberg, C. D., Goddard, E., Green, D., Groeneveld, J., Hastings, D., Hathorne, E., Kimoto, N., Klinkhammer, G., Labeyrie, L., Lea, D. W., Marchitto, T., Martínez-Botí, M. A., Mortyn, P. G., Ni, Y., **Nürnberg**, D., Paradis, G., Pena, L., Quinn, T., Rosenthal, Y., Russell, A., Sagawa, T., Sosdian, S., Stott, L., Tachikawa, K., Tappa, E., Thunell, R. and Wilson, P. A. (2008) Interlaboratory comparison study of calibration standards for foraminiferal Mg/Ca thermometry *Geochemistry Geophysics Geosystems*, 9 (8). DOI 10.1029/2008GC001974.
- Groeneveld, J., Hathorne, E. C., Steinke, S., DeBey, H., Mackensen, A. and Tiedemann, R. (2014) Glacial induced closure of the Panamanian Gateway during Marine Isotope Stages (MIS) 95–100 (*2.5Ma) *Earth and Planetary Science Letters*, 404 . pp. 296-306. DOI 10.1016/j.epsl.2014.08.007.
- Groeneveld, J., **Nürnberg**, D., Tiedemann, R., Reichart, G. J., Steph, S., Reuning, L., Crudeli, D. and Mason, P. (2008) Foraminiferal Mg/Ca increase in the Caribbean during the Pliocene: Western Atlantic Warm Pool formation, salinity influence, or diagenetic overprint? *Geochemistry Geophysics Geosystems*, 9 .
- Groeneveld, J., Steph, S., Tiedemann, R., Garbe-Schönberg, C. D., **Nürnberg**, D. and Sturm, A. (2006) Pliocene mixed-layer oceanography for Site 1241, using combined Mg/Ca and $\delta^{18}\text{O}$ analyses of Globigerinoides sacculifer *Proceedings of the Ocean Drilling Program: Scientific Results*, 202 . pp. 1-27. DOI 10.2973/odp.proc.sr.202.209.2006.
- Gussoni, N., Eisenhauer, A., Haug, G., Heuser, A., Müller, A. and Tiedemann, R. (2004) Caribbean Sea Surface Temperature and Salinity Fluctuations during the Pliocene Closure of the Central-American Gateway (4.6 and 4.0 Ma) A Comparison of $\delta^{44}\text{Ca}$ - and Mg/Ca Thermometry *Earth and Planetary Science Letters* . pp. 201-214.
- Haug, G. H., Ganopolski, A., Sigman, D. M., Rosell-Mele, A., Swann, G. E. A., Tiedemann, R., Jaccard, S. L., Bollmann, J., Maslin, M. A., Leng, M. J. and Eglinton, G. (2005) The seasonal cycle in North Pacific sea surface temperature and the glaciation of North America 2.7 million years ago *Nature*, 433 . pp. 821-825. DOI 10.1038/nature03332.
- Haug, G. H., Tiedemann, R. and Keigwin, L. D. (2004) How the Isthmus of Panama put ice in the Arctic Oceanus, 42 . pp. 94-97.
- Hoffmann, J., Bahr, A., Voigt, S., Schönfeld, J., **Nürnberg**, D. and Rethemeyer, J. (2014) Disentangling abrupt deglacial hydrological changes in northern South America: Insolation versus oceanic forcing *Geology*, 42 (7). pp. 579-582. DOI 10.1130/G35562.1.
- Jentzen, A., Schönfeld, J., Weiner, A. K. M., Weinkauf, M. F. G., **Nürnberg**, D. and Kucera, M. (2019) Seasonal and interannual variability in population dynamics of planktic foraminifers off Puerto Rico (Caribbean Sea). *Journal of Micropalaeontology*, 38 (2), pp. 231-247. DOI 10.5194/jm-38-231-2019.
- Jentzen, **Nürnberg** et al. (2018) Mg/Ca and d18O in living planktic foraminifers from the Caribbean, Gulf of Mexico and Florida Straits. *Biogeosciences*, 15, pp. 7077-7095.
- Jochum, K. P., Jentzen, A., Schiebel, R., Stoll, B., Weis, U., Leitner, J., Repschläger, J., **Nürnberg**, D. and Haug, G. H. (2019) High-Resolution Mg/Ca Measurements of Foraminifer Shells Using Femtosecond LA-ICP-MS for Paleoclimate Proxy Development. *Geochemistry, Geophysics, Geosystems*, 20 (4). pp. 2053-2063. DOI 10.1029/2018GC008091.
- Karas, C., Khélifi, N., Bahr, A., Naafs, B. D. A., **Nürnberg**, D. and Herrle, J. O. (2020) Did North Atlantic cooling and freshening from 3.65–3.5 Ma precondition Northern Hemisphere ice sheet growth?. *Global and Planetary Change*, 185. DOI 10.1016/j.gloplacha.2019.103085.
- Karas, C., **Nürnberg**, D., Tiedemann, R., Bahr, A., Groeneveld, J., Herrle, J.O., deMenocal, P.B. (2017) Global cooling and the role of the Pliocene constrictions of tropical seaways. *Scientific Reports (Nature)* 7:398442, doi:10.1038/srep39842.
- Karas, C., **Nürnberg**, D. and Tiedemann, R. (2012) The Southwest Pacific during the Pliocene: a reply to Dickens and Backman, 2011 *Earth and Planetary Science Letters*, 331-332 . pp. 360-363. DOI 10.1016/j.epsl.2012.03.006.
- Karas, C., **Nürnberg**, D., Tiedemann, R. and Garbe-Schönberg, D. (2011) Pliocene Indonesian Throughflow and Leeuwin Current dynamics: Implications for Indian Ocean polar heat flux *Paleoceanography*, 26 (2). PA2217. DOI 10.1029/2010PA001949.
- Karas, C., **Nürnberg**, D., Tiedemann, R. and Garbe-Schönberg, D. (2011) Pliocene climate change of the Southwest Pacific and the impact of ocean gateways *Earth and Planetary Science Letters*, 301 (1-2). pp. 117-124. DOI 10.1016/j.epsl.2010.10.028.
- Khusid, T. A., Barash, M. S., Biebow, N., **Nürnberg**, D. and Tiedemann, R. (2005) Late Quaternary environmental changes on the Southeastern slope of the Sea of Okhotsk inferred from benthic foraminifera *Oceanology*, 45 (3). pp. 413-419.
- Kozdon, R., Eisenhauer, A., Weinelt, M., Meland, M. Y. and **Nürnberg**, D. (2009) Reassessing Mg/Ca temperature calibrations of Neogloboquadrina pachyderma (sinistral) using paired $\delta^{44}/40$ and

- Mg/Ca measurements Geochemistry Geophysics Geosystems, 10 (3). DOI 10.1029/2008GC002169.
- Kujau, A., **Nürnberg**, D., Zielhofer, C., Bahr, A. and Röhl, U. (2010) Mississippi River discharge over the last ~560,000 years — Indications from X-ray fluorescence coresampling Palaeogeography Palaeoclimatology Palaeoecology, 298 . pp. 311-318. DOI 10.1016/j.palaeo.2010.10.005.
- Levitin, M. A., Kuzmina, T. G., Luksha, V. L., Roshchina, I. A., Syromyatnikov, K. V., Max, L., **Nürnberg**, D., Riethdorf, J. R. and Tiedemann, R. (2013) Late pleistocene sedimentation history of the Shirshov Ridge, Bering Sea Geochemistry International, 51 (3). pp. 173-204. DOI 10.1134/S0016702913030051.
- Malone, M., Martin, J., Schönfeld, J., Ninnemann, U., **Nürnberg**, D. and White, T. (2004) The oxygen isotopic composition and temperature of southern ocean bottom waters during the Last Glacial Maximum Earth and Planetary Science Letters (222). pp. 275-283.
- Matul, A., Abelmann, A., Khusid, T., Chekhovskaya, M., Kaiser, A., **Nürnberg**, D. and Tiedemann, R. (2013) Late Quaternary changes of the oxygen conditions in the bottom and intermediate waters on the western Kamchatka continental slope, the Sea of Okhotsk Deep-Sea Research Part II-Topical Studies in Oceanography . DOI 10.1016/j.dsr.2013.03.023.
- Matul, A. G., Abelmann, A., **Nürnberg**, D. and Tiedemann, R. (2009) Stratigraphy and major paleoenvironmental changes in the Sea of Okhotsk during the last million years inferred from radiolarian data Oceanology, 49 (1). pp. 93-100. DOI 10.1134/S0001437009010111.
- Matul, A., Abelmann, A., Tiedemann, R., Kaiser, A. and **Nürnberg**, D. (2002) Late Quaternary polycystine radiolarian datum events in the Sea of Okhotsk Geo-Marine Letters, 22 . pp. 25-32.
- Max, L., Rippert, N., Lembke-Jene, L., Cacho, I., Mackensen, A., **Nürnberg**, D., Tiedemann, R. (2016) Evidence for enhanced convection of North Pacific Intermediate Water to the low-latitude Pacific under glacial conditions. Paleoceanography, doi: 10.1002/2016PA002994.
- Max, L., Belz, L., Tiedemann, R., Fahl, K., **Nürnberg**, D. and Riethdorf, J. R. (2014) Rapid shifts in subarctic Pacific climate between 138 and 70 ka Geology, 42 (10). pp. 899-902. DOI 10.1130/G35879.1.
- Max, L., Lembke-Jene, L., Riethdorf, J. R., Tiedemann, R., **Nürnberg**, D., Kühn, H. and Mackensen, A. (2014) Pulses of enhanced North Pacific Intermediate Water ventilation from the Okhotsk Sea and Bering Sea during the last deglaciation Climate of the Past, 10. pp. 591-605. DOI 10.5194/cp-10-591-2014.
- Max, L., Riethdorf, J. R., Tiedemann, R., Smirnova, M., Lembke-Jene, L., Fahl, K., **Nürnberg**, D., Matul, A. and Mollenhauer, G. (2012) Sea surface temperature variability and sea-ice extent in the subarctic northwest Pacific during the past 15,000 years Paleoceanography, 27 (3). PA3213. DOI 10.1029/2012PA002292.
- Meinicke, N., Ho, S. L., Hannisdal, B., **Nürnberg**, D., Tripathi, A., Schiebel, R. and Meckler, A. N. (2020) A robust calibration of the clumped isotopes to temperature relationship for foraminifers. Geochimica et Cosmochimica Acta, 270. 160-183. DOI 10.1016/j.gca.2019.11.022.
- Mezger, E. M., de Nooijer, L. J., Bertlich, J., Bijma, J., **Nürnberg**, D. and Reichart, G. J. (2019) Planktonic foraminiferal spine versus shell carbonate Na incorporation in relation to salinity. Biogeosciences (BG), 16 (6). pp. 1147-1165. DOI 10.5194/bg-16-1147-2019.
- Mirzaloo, M., **Nürnberg**, D., Kienast, M., and Lubbe, H. J. L. (2019) Synchronous changes in sediment transport and provenance at the Iceland-Faroe Ridge linked to millennial climate variability from 55 to 6 ka BP. Geochemistry, Geophysics, Geosystems, 20 (8). pp. 4184-4201. DOI 10.1029/2019GC008298. .
- Molina-Kescher, M. Frank, M., Tapia, R., Ronge, Th., **Nürnberg**, D., Tiedemann, R. (2016) Reduced admixture of North Atlantic Deep Water to the deep central South Pacific during the last two glacial periods. Paleoceanography 31, 651-668.
- Murdmaa, I. O., Dorokhova, E. V., Ovsepyan, E. A., Dara, O. M. and **Nürnberg**, D. (2019) Terrigenous sedimentation on the submarine Shirshov Ridge (Bering Sea) during the last deglaciation. Lithology and Mineral Resources, 54 (2). pp. 79-92. DOI 10.1134/S0024490219020068.
- Naidu, P. D., Ganeshram, R., Bollasima, M. A., Panmai, C., **Nürnberg**, D. and Donges, J. F. (2020) Scientific Reports, 10 . Art.Nr. 1302. DOI 10.1038/s41598-020-58265-3.
- Nürnberg**, D., Böschen, T., Doering, K., Mollier-Vogel, E., Raddatz, J., Schneider, R. (2015) Sea surface and subsurface circulation dynamics off equatorial Peru during the last ~17 kyrs. Paleoceanography, doi:10.1002/2014PA002706. <http://onlinelibrary.wiley.com/store/10.1002/2014PA002706/asset/palo20220.pdf;jsessionid=00756A917EF58FFF7F9EDB7E2F7394E4.f02t04?v=1&t=idf19yik&s=c1fa1e2f830d4071c0427b014d2c8e139d83916e>.
- Nürnberg**, D., Bahr, A., Mildner, T., Eden, C. (2015) Loop Current variability - its relation to meridional overturning circulation and the impact of Mississippi discharge. In Schulz M., Paul A. (Editors)

- Integrated Analysis of Interglacial Climate Dynamics (INTERDYNAMIC). Springer Briefs in Earth System Sciences, 55-62. DOI 10.1007/978-3-319-00693-2.
- Nürnberg**, D., Dethleff, D., Tiedemann, R., Kaiser, A. and Gorbarenko, S. A. (2011) Okhotsk Sea ice coverage and Kamchatka glaciation over the last 350ka — Evidence from icerrafted debris and planktonic $\delta^{18}\text{O}$ Palaeogeography, Palaeoclimatology, Palaeoecology, 310 (3-4), pp. 191-205. DOI 10.1016/j.palaeo.2011.07.011.
- Nürnberg**, D. (2009) Abrupt glacial climate change – a phenomenon of extreme winters? IFM-GEOMAR Annual Report, 2008 . pp. 14-15.
- Nürnberg**, D., Ziegler, M., Karas, C., Tiedemann, R. and Schmidt, M. (2008) Interacting loop current variability and Mississippi River discharge over the past 400 kyr Earth and Planetary Science Letters, 272 (1/2). pp. 278-289. DOI 10.1016/j.epsl.2008.04.051.
- Nürnberg**, D. and Groeneveld, J. (2006) Pleistocene variability of the Subtropical Convergence at East Tasman Plateau - Evidence from planktonic foraminiferal Mg/Ca (ODP Site 1172A) Geochemistry Geophysics Geosystems, 7 (4). DOI 10.1029/2005GC000984.
- Nürnberg**, D. and Tiedemann, R. (2004) Environmental change in the Sea of Okhotsk over the past 1.1 million years Paleoceanography, 19 . DOI 10.1029/2004PA001023.
- Nürnberg**, D. (2000) Taking the temperature of past ocean surfaces Science, 289 . pp. 1698-1699.
- Nürnberg**, D., Müller, A. and Schneider, R. (2000) Paleo-sea surface temperature calculations in the equatorial east Atlantic from Mg/Ca ratios in planktic foraminifera: A comparison to sea surface temperature estimates from UK'37, oxygen isotopes, and foraminiferal transfer function Paleoceanography, 15 (1). pp. 124-134.
- Osborne, A. H., Newkirk, D. R., Groeneveld, J., Martin, E. E., Tiedemann, R. and Frank, M. (2014) The seawater neodymium and lead isotope record of the final stages of Central American Seaway closure Paleoceanography, 29 (7). pp. 715-729. DOI 10.1002/2014PA002676.
- Ovsepyan, E. A., Ivanova, E. V., Max, L., Riethdorf, J. R., **Nürnberg**, D. and Tiedemann, R. (2013) Late quaternary oceanographic conditions in the Western Bering Sea Oceanology, 53 (2). pp. 211-222. DOI 10.1134/S0001437013020136.
- Poggemann, D., Hathorne, E., **Nürnberg**, D., Frank, M., Bruhn, I., Reissig, S., Bahr, A. (2017) Rapid Deglacial Injection of Nutrients into the Atlantic via Antarctic Intermediate Water. EPSL 463, 118–126, dx.doi.org/10.1016/j.epsl.2017.01.030.
- Poggemann D.-W., **Nürnberg** D., Hathorne E. C., Frank M., Rath W., Reißig S., Bahr A. (2018) Deglacial Heat Uptake by the Southern Ocean and Rapid Northward Redistribution via Antarctic Intermediate Water. Paleoceanography and Paleoclimatology, <https://doi.org/10.1029/2017PA003284>.
- Ponomareva, V., Portnyagin, M., Derkachev, A., Pendea, I. F., Bourgeois, J., Reimer, P. J., Garbe-Schönberg, D., Krasheninnikov, S. and **Nürnberg**, D. (2013) Early Holocene M~6 explosive eruption from Plosky volcanic massif (Kamchatka) and its tephra as a link between terrestrial and marine paleoenvironmental records International Journal of Earth Sciences, 102 (6). pp. 1673-1699. DOI 10.1007/s00531-013-0898-0.
- Raddatz, J., **Nürnberg**, D., Rippert, N., Tiedemann, R. (2017) Southeastern marginal West Pacific Warm Pool sea-surface and thermocline dynamics during the Pleistocene (2.5–0.5 Ma). Paleo3 471, 144–156, dx.doi.org/10.1016/j.palaeo.2017.01.024.
- Regenberg, M., Steph, S., **Nürnberg**, D., Tiedemann, R. and Garbe-Schönberg, C. D. (2009) Calibrating Mg/Ca ratios of multiple planktonic foraminiferal species with $\delta^{18}\text{O}_{\text{calcification}}$ temperatures: paleothermometry for the upper water column Earth and Planetary Science Letters, 278 . pp. 324-336. DOI 10.1016/j.epsl.2008.12.019.
- Regenberg, M., **Nürnberg**, D., Schönfeld, J. and Reichart, G. J. (2007) Early diagenetic overprint in Caribbean sediment cores and its effect on the geochemical composition of planktonic foraminifera Biogeosciences (BG), 4 . pp. 957-973. DOI 10.5194/bg-4-957-2007.
- Regenberg, M., **Nürnberg**, D., Steph, S., Groeneveld, J., Garbe-Schönberg, C. D., Tiedemann, R. and Dullo, W. C. (2006) Assessing the effect of dissolution on planktonic foraminiferal Mg/Ca ratios: Evidence from Caribbean core tops Geochemistry Geophysics Geosystems, 7 (7). DOI 10.1029/2005GC001019.
- Reißig, S., **Nürnberg**, D., Bahr, A., Poggemann, D. W., Hoffmann, J. (2019) Southward displacement of the North Atlantic Subtropical Gyre circulation system during North Atlantic cold spells. Paleoceanography and Paleoclimatology, 34 . pp. 866-885. DOI 10.1029/2018PA003376.
- Riethdorf, J. R., Max, L., **Nürnberg**, D., Lembke-Jene, L. and Tiedemann, R. (2013) Deglacial development of (sub) sea surface temperature and salinity in the subarctic northwest Pacific: Implications for upper-ocean stratification Paleoceanography, 28 (1). pp. 91-104. DOI 10.1002/palo.20014.
- Riethdorf, J. R., **Nürnberg**, D., Max, L., Tiedemann, R., Gorbarenko, S. A. and Malakhov, M. I. (2013) Millennial-scale variability of marine productivity and terrigenous matter supply in the western

- Bering Sea over the past 180 kyr Climate of the Past, 9 (3). pp. 1345-1373. DOI 10.5194/cp-9-1345-2013.
- Rippert, N., **Nürnberg**, D., Raddatz, J., Meier, E., Hathorne, E., Bijma, J., Tiedemann, R. (2016) Constraining foraminiferal calcification depths in the Western Pacific Warm Pool. Marine Micropaleontology 128, 14-27.
- Ronge, Th., **Nürnberg**, D., Tiedemann, R. (2020) Plio-Pleistocene variability of the East Pacific Thermocline and the Intertropical Convergence Zone. Paleoceanography and Paleoclimatology, 10.1029/2019PA003758.
- Schmittner, A., Sarnthein, M., Kinkel, H., Bartoli, G., Bickert, R., Crucifix, M., Crudeli, D., Groeneveld, J., Kösters, F., Mikolajewicz, U., Millo, C., Reijmer, J., Schäfer, P., Schmidt, D., Schneider, B., Schulz, M., Steph, S., Tiedemann, R., Weinelt, M. and Zuvela, M. (2004) Global impact of the Panamanian Seaway Eos, Transactions American Geophysical Union, 85 (49). pp. 526-527.
- Steph, S., Tiedemann, R., Prange, M., Groeneveld, J., Schulz, M., Timmermann, A., **Nürnberg**, D., Röhlemann, C., Saukel, C. and Haug, G. A. (2010) Early Pliocene increase in thermohaline overturning: a precondition for the development of the modern equatorial Pacific cold tongue Paleoceanography, 25 . PA2202. DOI 10.1029/2008PA001645.
- Spielhagen, R., Bonani, G., Eisenhauer, A., Frank, M., Frederichs, T., Kassens, H., Kubik, P. W., Mangini, A., Nørgaard-Pedersen, N., Nowaczek, N. R., Schäper, S., Stein, R., Thiede, J., Tiedemann, R. and Wahsner, M. (1997) Arctic Ocean evidence for late Quaternary initiation of northern Eurasian ice sheets Geology, 25 (9). pp. 783-786. DOI DOI:10.1130/0091-7613(1997).
- Steph, S., Regenberg, M., Tiedemann, R., Mulitza, S. and **Nürnberg**, D. (2009) Stable isotopes of planktonic foraminifera from tropical Atlantic/Caribbean coretops: implications for reconstructing upper ocean stratification Marine Micropaleontology, 71 . pp. 1-19. DOI 10.1016/j.marmicro.2008.12.004.
- Steph, S., Tiedemann, R., Groeneveld, J., Sturm, A. and **Nürnberg**, D. (2006) Pliocene changes in tropical east Pacific upper ocean stratification: response to tropical gateways? Proceedings of the Ocean Drilling Program: Scientific Results, 202 . pp. 1-51. DOI 10.2973/odp.proc.sr.202.211.2006.
- Steph, S., Tiedemann, R., Prange, M., Groeneveld, J., **Nürnberg**, D., Reuning, L., Schulz, M. and Haug, G. H. (2006) Changes in Caribbean surface hydrography during the Pliocene shoaling of the Central American Seaway Paleoceanography, 21. DOI10.1029/2004PA001092.
- Steph, S., Tiedemann, R., Prange, M., Groeneveld, J., Schulz, M., Timmermann, A., **Nürnberg**, D., Röhlemann, C., Saukel, C. and Haug, G. A. (2010) Early Pliocene increase in thermohaline overturning : a precondition for the development of the modern equatorial Pacific cold tongue Paleoceanography, 25 . PA2202. DOI 10.1029/2008PA001645.
- Tapia, R., **Nürnberg**, D., Ho, S. L., Lamy, F., Ullermann, J., Gersonde, R. and Tiedemann, R.(2019) Glacial differences of Southern Ocean Intermediate Waters in the Central South Pacific. Quaternary Science Reviews, 208 . pp. 105-117. DOI 10.1016/j.quascirev.2019.01.016.
- Tapia, R., **Nürnberg**, D., Ronge, T. and Tiedemann, R. (2015) Disparities in glacial advection of Southern Ocean Intermediate Water to the South Pacific Gyre Earth and Planetary Science Letters, 410 . pp. 152-164. DOI 10.1016/j.epsl.2014.11.031.
- van der Kaars, S., Miller, G., Turney, C., Cook, E.J., **Nürnberg**, D., Schönfeld, J., Kershaw, A.P., Lehman, S. (2017) Megafaunal Population Collapse within 2,000 years of Human Dispersal across Pleistocene Australia. Nature Comm. 8:14142, doi:10.1038/ncomms14142.
- Waelbroeck, C., Lougheed, B. C., Vazquez Riveiros, N., Missiaen, L., Pedro, J., Dokken, T., Hajdas, I., Wacker, L., Abbott, P., Dumoulin, J. P., Thil, F., Eynaud, F., Rossignol, L., Fersi, W., Albuquerque, A. L., Arz, H., Austin, W. E. N., Came, R., Carlson, A. E., Collins, J. A., Dennielou, B., Desprat, S., Dickson, A., Elliot, M., Farmer, C., Giraudeau, J., Gottschalk, J., Henderiks, J., Hughen, K., Jung, S., Knutz, P., Lebreiro, S., Lund, D. C., Lynch-Stieglitz, J., Malaizé, B., Marchitto, T., Martínez-Méndez, G., Mollenhauer, G., Naughton, F., Nave, S., **Nürnberg**, D., Oppo, D., Peck, V., Peeters, F. J. C., Penaud, A., Portilho-Ramos, R. d. C., Repschläger, J., Roberts, J., Röhlemann, C., Salgueiro, E., Sanchez Goni, M. F., Schönfeld, J., Scussolini, P., Skinner, L. C., Skonieczny, C., Thornalley, D., Toucanne, S., Rooij, D. V., Vidal, L., Voelker, A. H. L., Wary, M., Weldeab, S. and Ziegler, M. (2019) Consistently dated Atlantic sediment cores over the last 40 thousand years. Scientific Data, 6 (Article number: 165). DOI 10.1038/s41597-019-0173-8. .
- Ziegler, M., **Nürnberg**, D., Karas, C., Tiedemann, R. and Lourens, L. J. (2008) Persistent summer expansion of the Atlantic Warm Pool during glacial abrupt cold events Nature Geoscience, 1 (9). pp. 601-605. DOI 10.1038/ngeo277.
- Zuraida, R., Holbourn, A., **Nürnberg**, D., Kuhnt, W., Dürkop, A. and Erichsen, A. (2009) Evidence for Indonesian Throughflow slowdown during Heinrich events 3-5 Paleoceanography, 24 . DOI 10.1029/2008PA001653.